



Riesgos para el medio ambiente

Este pesticida es tóxico para los peces y los invertebrados acuáticos. El arrastre y el escurrimiento pueden resultar peligrosos para los organismos acuáticos de las zonas cercanas al sitio de aplicación. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aquas superficiales. Aplicar este producto cuando no hava viento y no se anticipe lluvia en las siguientes 24 horas asegurará que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

Este producto químico tiene propiedades y características relacionadas con sustancias químicas detectadas en aguas subterráneas. El uso de este producto químico en zonas de suelos permeables, particularmente donde la capa freática es poco profunda, puede ocasionar la contaminación del agua subterránea. La aplicación alrededor de un tanque de agua o un pozo puede contaminar el aqua potable o subterránea.





PEEL HERE RESEALABLE LABE ABRA AQUÍ FTIOLIFTA RESELLARI F

WEED STOP FOR LAWNS

- CRABGRASS KILLER









Kills Weeds Including Crabgrass — Not the Lawn Kills 250+ Types of Weeds



WHAT IT DOES:

Kills major broadleaf and troublesome grass weeds including dandelion, chickweed and clover as well as craborass, foxtail and yellow nutsedge. (See inside for complete list.)

IOTA: El comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

WHERE TO USE:

lawns: Kills the weeds not the lawn.™

PRODUCT FACTS WHEN TO USE:

Apply when daytime temperatures are between 45°F and 90°F

OUESTIONS & COMMENTS:

Call 1-800-917-5438 or visit our website at www.spectracide.com

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not

apply to Bermudagrass when daytime temperatures exceed 85°F. IOTICE: Buver assumes all responsibility for safety and use not in

PROOF OF PURCHASE

FPO LIPC 0 71121 95662 0

BROADLEAF WEEDS CONTROLLED: / MALEZAS DE HOJA ANCHA CONTROLADAS: *amaranth, purple *buttonweed, common *daisy, English *henbit				BROADLEAF WEEDS CONTROLLED: / MALEZAS DE HOJA ANCHA CONTROLADAS: *mustard, wormseed * prickly lettuce * speedwell, purslane * yetch, hairy			
• amaranth, slender	(poorjoe)	• daisy, english	• hoary cress	• nettle, stinging	(compass plant)	• speedwell, slender	• vetch. milk
• artichoke	• buttonweed, Virginia	• dandelion, common	• horsenettle	(burning)	• prickly sida	• speedwell, snow	• vetch, narrowleaf
		dandelion, false	horseweed	• nettle, tall	prickly stud prostrate knotweed	• speedwell, thymeleaf	• vetch. wild
aster, heath	Carolina geranium (wild)	• day flower	• iimsonweed	• nettle, wood	prostrate knotweeu puncturevine	• spiny amaranth	
• aster, purple		day nower deadnettle					Virginia creeper western clematis
 aster, white heath 	carpetweed		Johnny-jumpup violet	parsley-piert	purslane, common purslane, prozil	• spurge, spotted	
 aster, white prairie 	• catnip	 dichondra 	• knawel	 parsnip 	 pusley, Brazil 	 spurge, prostrate 	 western salsify
 Austrian fieldcress 	 catsear, spotted (false 	 dock, broadleaf 	 knotweed, prostrate 	 pearlwort 	 pusley, Florida 	• spurweed	• wild aster
 bedstraw, catchweed 	dandelion)	 dock, curly 	• kochia	 pennycress 	 pusley, large flower 	 star of Bethlehem 	 wild buckwheat
 bedstraw, northern 	 chamber bitter 	 dogbane 	 lambsquarters 	(Frenchweed)	 ragweed, bur 	 strawberry, Indian 	 wild carrot
 bedstraw, pineywoods 	 chickweed, common 	 dogfennel 	• lespedeza	 pepperweed, perennial 	 ragweed, common 	mock	 wild four-o-clock
 bedstraw, smooth 	 chickweed, mouseear 		• mallow, alkali	 pepperweed, Virginia 	 ragweed, lanceleaf 	 tansy ragwort 	 wild garlic
 beggarticks, hairy 	 chickweed, sticky 	 doveweed 	 mallow, bristly 	(peppergrass)	 ragweed, western 	 tanweed 	• wild lettuce
 betony, Florida 	chicory	 elderberry 	 mallow, common 	 pigweed, prostate 	 redstem filaree 	 thistle, blessed 	 wild marigold
 bindweed, field 	 cinquefoil 	 false sunflower 	 mallow, dwarf 	 pigweed, redroot 	 rough cinquefoil 	• thistle, bull	 wild mustard
 bindweed, hedge 	 clover, alsike 	 falseflax 	 mallow, Venice 	 pigweed, Russian 	 scarlet pimpernel 	 thistle, Canada 	(yellow rocket)
 bitter wintercress 	 clover, crimson 	 fiddleneck 	• marcela	 pigweed, smooth 	 shepherdspurse 	 thistle, flodman 	 wild onion
 bittercress, hairy 	 clover, hop 	 filaree, redstem 	 matchweed 	 pigweed, tumble 	 smartweed, 	(prairie)	 wild parsnip
 bitterweed 	 clover, rabbit foot 	 filaree, whitestem 	 Mexicanweed 	 pineappleweed 	ladysthumb	• thistle, musk	 wild radish
 black-eyed Susan 	 clover, red 		 moneywort 	 plains coreopsis 	 smartweed, pale 	 thistle, platte 	 wild rape
 black medic 	 clover, strawberry 	 fleabane, rough 	 morningglory, bigroot 	(tickseed)	 smartweed, 	 thistle, plumeless 	 wild strawberry
 blood flower 	 clover, white 	 galinsoga, hairy 	 morningglory, ivyleaf 	 plantain, blackseed 	Pennsylvania	 thistle, Russian 	 wild sweet potato
milkweed	 clover, white sweet 	 galinsoga, smallflower 	 morningglory, Mexican 	 plantain, bracted 	 smooth chaff-flower 	 thistle, Scotch 	 wild violet
 blue lettuce 	 clover, yellow sweet 	 goldenrod 	 morningglory, red 	 plantain, broadleaf 	 smooth dock 	 thistle, wavyleaf 	 woodsorrel, creeping
 brassbuttons 	• cockle	• ground ivy	 morningglory, tall 	 plantain, buckhorn 	 sorrel, red (sheep) 	 thistle, yellow 	 woodsorrel, violet
 bristly oxtongue 	 cocklebur 	• groundsel	 morningglory, woolly 	 plantain, hoary 	 sowthistle, annual 	(horrible)	 woodsorrel, yellow
 broomweed 	 cocklebur, oriental 	 gumweed 	 mugwort 	 plantain, narrowleaf 	 sowthistle, spiny 	 trailing crownvetch 	(oxalis)
 buckhorn 	 cocklebur, spiny 	 hairy fleabane 	 mustard, ball 	 plantain, slender 	 Spanish needles 	 velvetleaf 	 woolly croton
 bullnettle 	 common mullein 	 hawkweed, meadow 	 mustard, black 	 plantain, woolly 	 speedwell, bi-lobed 	 vervain, blue 	 wormseed
 burclover 	 corn spurry 	 hawkweed, mouseear 	 mustard, blue 	 poison ivy 	 speedwell, common 	 vervain, hoary 	 yarrow, common
 burdock 	 creeping beggarweed 	 hawkweed, orange 	 mustard, hedge 	 poison oak 	 speedwell, corn 	 vervain, prostrate 	 yarrow, western
 burweed, lawn 	 creeping Jenny 	 hawkweed, yellow 	 mustard, Indian 	 pokeweed 	 speedwell, ivyleaf 	 vervain, tall 	 yarrow, yellow
(spurweed)	(creeping Charlie)	• healall	 mustard, tansy 	 prairie sunflower 	 speedwell, Persian 	 vetch, bird 	
 buttercup, bulbous 	• cudweed	 heartleaf drymary 	 mustard, tumble 	GRASSY WEEDS CONTI	ON LED. / MALETAS HI	EDRUGAS CUNTRUI VU	C craharace large and
 buttercup, creeping 	 cupid shaving brush 	• hemp	 mustard, white 	smooth; foxtail, green, gi			u. Granyrass, iaryt dilu
				omootii, ioxtaii, gittii, gi	un unu yonow, yonow n	uwwugu	



STOP READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

For home lawn care:

Spectracide® Weed Stop® for Lawns plus Craborass Killer is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product should be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red and fine leaf varieties). Bermudagrass*, buffalograss and zovsiagrass.

*Application to Bermudagrass may cause temporary vellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85°F.

Spectracide Weed Stop for Lawns plus Crabgrass Killer should **not** be used on lawns containing bentgrass, St. Augustinegrass, bahiagrass, centipedegrass or carpetgrass. Do **not** use on dichondra or lawns with desirable clovers or legumes or on vegetable gardens, fruits or ornamentals (flowers, trees, groundcovers, hedges, landscape/ flower beds and shrubs).

• This 24 fl oz retail container size treats approximately 180 weeds or up to 180 sq ft.

TRIGGER SPRAYER PRODUCT

- 1 Shake well
- 2. Adjust nozzle to coarse spray pattern to minimize wind drift.

- 3. Spray just enough Spectracide® Weed Stop® for Lawns plus Crabgrass Killer to lightly cover grass and broadleaf weeds. Excessive spraving can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur. Spray only the weeds, not the entire lawn.
- 4. Weeds will begin wilting and browning overnight.

USE TIPS

- Some hard-to-kill weeds may require re-treatment. Wait at least 30 days between applications — some weeds can take that long to die.
- Rainproof rain or watering three hours after application will not wash away effectiveness
- Do not allow spray to drift onto desirable plants since injury may result.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container Do not reuse or refill this container

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eve irritation. Avoid contact with eves or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If swallowed:

- Call a poison control center or doctor immediately for treatment
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- . Do not give anything by mouth to an unconscious person.

If in eyes:

- Hold eves open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.



LEA TODA LA ETIQUETA PRIMERO. CUMPLA TODAS LAS PRECAUCIONES Y SIGA CUIDADOSAMENTE LAS INSTRUCCIONES.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

Precauciones y restricciones generales:

- No aplique este producto de modo que entre en contacto con personas o mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación.
- No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocíos se hayan secado.

Para el cuidado del césped residencial:

El herbicida para céspedes y contra mano de cangrejo de Spectracide® Weed Stop® es un producto listo para usar, fabricado para el tratamiento "localizado" de pastos y malezas de hoja ancha, por parte de propietarios en céspedes residenciales. Este producto debería aplicarse en céspedes que contengan las siguientes especies de pasto: Pasto azul de Kentucky, ryegrass perenne, especies de festuca (incluyendo las variedades de hoja alta, roja y fina), pasto Bermuda*, pasto búfalo y césped zoysia.

*La aplicación al pasto Bermuda puede provocar que el pasto se vuelva amarillo o se decolore temporalmente pero se puede esperar una recuperación completa. No lo aplique al pasto Bermuda cuando las temperaturas diurnas superan los 85°F.

El herbicida para céspedes y contra mano de cangrejo de Spectracide Weed Stop **no** se debe usar en céspedes que contengan agróstide, césped San Agustín, césped bahia, césped ciempiés o césped alfombra. **No** lo use en céspedes dichondra oc or tréboles o legumbres deseables, en huertos de verduras o frutos, ni en jardines con plantas ornamentales (flores, árboles, cubresuelos, setos, lechos de flores o plantas y arbustos).

 Este tamaño de envase de venta de 24 onzas líquidas trata aproximadamente 180 malezas o hasta 180 pies cuadrados.

PRODUCTO CON ROCIADOR DE GATILLO

Aaite bien.

- 2. Aiuste la boquilla para descargar un rocío grueso para minimizar el arrastre por el viento.
- 3. Rocíe el herbicida para céspedes y contra mano de cangrejo de Spectracide® Weed Stop® sólo en cantidad suficiente para cubrir ligeramente el césped y las malezas de hoja ancha. El exceso de rocío puede dañar algunos tipos de césped. No lo aplique cuando las temperaturas diurnas sean superiores a 90°F ya que se puede dañar el césped. Rocía sólo las malezas, no el césped entero.
- 4. Las malezas comenzarán a marchitarse y adquirir color marrón durante la noche.

CONSEJOS SOBRE EL USO

- Puede ser necesario repetir el tratamiento en algunas malezas difíciles de eliminar.
 Espere por lo menos 30 días entre las aplicaciones; algunas malezas pueden demorar ese tiempo en morir.
- A prueba de lluvia: la lluvia o el riego después de tres horas de la aplicación no reducen la eficacia.
- No permita el arrastre del rocío sobre plantas deseables ya que puede causarles daño.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA: Gire la boquilla hasta la posición "OFF" (apagado) y guárdelo con el rociador por encima del nivel de líquido del envase para evitar derrames. Guarde en su envase original, en un lugar que no sea accesible a los niños ni a las mascotas.

ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL ENVASE: Envase no rellenable. No vuelva a usar ni a rellenar este envase.

Si está vacío: Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción.

Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Nocivo si se ingiere. Use camisa de manga larga y pantalones largos, calcetines con zapatos y guantes. Lávese muy bien con agua y jabón después de manipularlo y antes de comer. beber. masticar chicle. usar tabaco o usar el baño.

Primeros Auxilios

Si se ingiere:

- Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
- Si la persona puede tragar, haga que beba poco a poco un vaso de agua.
- No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico.
- No administre nada por la boca a una persona que haya perdido el conocimiento.

Si entra en contacto con los oios:

- Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuacando los ojos.
- Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de uroencia.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not dive anything by mouth to an unconscious person.

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Ouestions & Comments? Call 1-800-917-5438 or visit our website at www.snectracide.com

DECLARACIONES PREVENTIVAS

Riesnos para los seres humanos y los animales domésticos

PRECAUCIÓN: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Nocivo si se ingiere. Use camisa de manga larga y pantalones largos, calcelines con zapatos y guantes. Lávese muy bien con agua y jabón después de maninularió y antes de conner. beber masticar chicle. usar tabaso o user el tuño.

Primeros Auxilios

Si se inglere: Llame immediatamente a un centro de control de enveneramientos o a un médico para recibir instrucciones de tratamiento. Si la presona puede tragar, fuga que beba poco a poco un vaso de agua. No induca el viómito a menos que así lo indique el centro de control de enveneramientos o el médico. No administre nada por la boca a una persona que trava acerdido a conocimiento.

Si entra én contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutus. Si hay lentes de contacto, retirelos después dos primeros 5 minutos, luego continúe enjuagando los oios. Lame a un centro de control de enveneramientos para reolbir instrucciones de tratamientos.

Cuando flame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de uroencia.

NOTA: El comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones. Preguntas o comentarios? Llame al 1-809-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642 EPA Rep, No. 2217-867-8845 - EPA Est. Nos. 9888-MO-1 (V), 79333-WH-1 (EP), 58996-MO-1 (AE), IRIG-36-A1-(CN), 11623-6A3-(CN) Circled letter is first letter of foll number: 171-4678 (© 2012 UIC)